APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	ce AUG 9 1977		
Returned to applicant for correction.			
Corrected application filed			
Map filed	AUG 9 1977		
The applicant Nevada	State Park Sys	tem	
201 South Fall Stree			
Street and No. or P.O. Bo	ox No.	City o	r Town
Nevada, 89710 State and Zip Code No.			
waters of the State of Nevada, as he			
tion; if a copartnership or association	n, give names of members	i.)	
1. The source of the proposed app	ropriation isUn	derground	
			other source.
2. The amount of water applied fo	r is 0.25 cf	S	second-feet
(a) If stored in reservoir give nu			
3. The water to be used for			
4. If use is for:	Irrigation, pow	er, mining, manufacturing, domestic	, or other use.
(a) Irrigation (state number of a	acres to be irrigated)	,	
(b) Stockwater (state number an			
(c) Other use (describe fully un			
	idei 110, 12. Kemaiks)		
(d) Power:			
• •		in the cul	
5. The water is to be diverted from			
	subdivision of public survey, and	l by course and distance to a sectio	n corner. If on unsurveyed land,
Section 5 bears S.56 it should be stated.			
6. Place of use SE ¹ 4 of Sec	Describe by legal subdivisio	n, if on unsurveyed land it should b	pe so stated.
8; NW1 NW1 of Sectio	n 9; All in T.	15N., R.65E., M.	D.B.&M.
		•••••••••••••••••••••••••••••••••••••••	
	······································	****	
7. Use will begin about 1st of	January and end at	Oout31st of Decemb	erof each year.
8. Description of proposed works.	(Under the provisions of	٠	
specifications of your diversion	or storage works.). The	water will be p	umped into a
10,000 gallon storag	e tank, then di	stributed throug	h pipelines
throughout the place			

9.	Estimated cost of works \$38,000	······		
10.	Estimated time required to construct works3	years		
11.	Estimated time required to complete the application	on to beneficial use		
12.	 Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annua consumptive use. 			
	The water will be used in con	junction with cullinary, sanitary,		
	domestic, and 20 overnight tr	railer and camp sites. The estimated		
	consumption is 6000 gallons p	per day, 365 days per year, with a		
	total yearly consumption of 2	2,190,000 gallons.		
App	olicant Nevada State Park System	····		
		By s/John L. Meder		
Compared b1/ga		Administrator 201 South Fall Street Carson City, Nevada 89710		
		OF STATE ENGINEER		
folic	This is to certify that I have examined the foregonism limitations and conditions:	oing application, and do hereby grant the same, subject to the		

•••••				
The	amount of water to be appropriated shall be limited	ed to the amount which can be applied to beneficial use, and		
not t	to exceed	cubic feet per second		
		······		
Actu	ual construction work shall begin on or before	······		
Proc	of of commencement of work shall be filed before			
Wor	k must be prosecuted with reasonable diligence and	i be completed on or before		
Proc	of of completion of work shall be filed before			
App	dication of water to beneficial use shall be made on	or before		
Proc	of of the application of water to beneficial use shall	be filed on or before		
Мар	in support of proof of beneficial use shall be filed	on or before		
Com	pletion of work filed	ESTIMONY WHEREOF, I		
Cult	ural map filed	my office, thisday of,		
	ificate NoIssuedPage	A.D. 19		
OPE TO LO	County Recorder	State Engineer		
-		THORAS N BY APPLICANT WELLOW TO COLOR TO CO		